



Supporting Indigenous Smokers To Assist Quitting
Implementation Phase

Associate Professor Gillian Gould
NHMRC Translating Research Into Practice Fellow

What is SISTAQUIT vs iSISTAQUIT?

SISTAQUIT (funded by NHMRC/GACD)

- A randomized trial in 20 services
- Training in culturally competent evidence-based care for smoking cessation in pregnancy versus usual care
- Health provider and service level data collected
- Pregnant women and babies recruited and followed up to 6 months post-partum

iSISTAQUIT (funded by TIS and DOH)

- Implementation of training in 20 more services
- All sites get the training and resources
- All data collected at health professional and service level (women and babies not recruited)
- Additional social media campaign



Supporting Indigenous Smokers To Assist Quitting

- 20 services recruited to the trial
 [18 ACCHS + 2 mainstream]
- 7 sites are TIS regional teams
- Apunipima, Mawarnkarra, Carbal, Katherine West, Danila Dilba, Awabakal, Galambila
- >80 health providers and 56 women recruited to the trial
- Trial extended to early 2022
- COVID19: temporary halt on new recruits and F2F f/up for ~3 mth

Data! Data! I can't make bricks without clay! Sir Arthur Conan Doyle

- AH&MRC have recently approved strategy for F2F recruitment and f/up to recommence
- Existing participants need to be followed up regularly
- Data needs to be supplied by services
- More health providers need to do follow up surveys
- Staff (CEOs, managers & research facilitators) mid-study interviews to start



Supporting Indigenous Smokers To Assist Quitting

Implementation Phase



Recruiting Services now - enquiries <u>isistaquit@newcastle.edu.au</u>



39 Services (mainstream and ACCHO) expressed interest in iSISTAQUIT



8 services ready to sign up + 12 more services needed



All sites get training, resources, CO meter + oral NRT



Self-paced Elearning



Communicare/MD templates to guide/record consultations

iSISTAQUIT Media Campaign



Scoping review of quit messages/media for Aboriginal women in pregnancy COMPLETED



Social media advisory panel READY TO MEET



Filming in 4-5 locations ON HOLD FOR COVID19



Channels Facebook, Instagram, radio

Bushfires, COVID19 and smoking

Important to keep smoking cessation on the agenda for pregnant women

Combined risks of exposure to bushfire smoke and tobacco smoke – e.g. both affect birth weight

Smokers at increased risk of more serious outcomes from COVID19

Stress from disasters make people smoke more

#QUIT4COVID – a great time to quit smoking